TEST REPORT

Report No.: METSABD-R 6067/2026

Client / Establishment	: M/s. Mayogen Labs United Arab Emirates

Sample ID	: METSABD-S26-6067
Sample Receiving Date	: 16/10/2026
Reporting Date	: 20/10/2026
Date of Analysis	: 16/10/2026-20/10/2026
Tested by	: SC
Issue No	: 01(Re-Issue Date: NA)

Sample Information:

Sample Description	: Peptide (Retatrutide) 30mg

Results of Chemical Analysis:

Parameter#	Test Method	Unit	Result
Retatrutide (as Purity)	HPLC	%	99.44
Retratutide Content	HPLC	mg	29.68

Note: The traceability details of the sample were not given by the client
#Testing is done at Middle East Testing Services, Ajman (ISO/IEC 17025:2017 Accredited)

Prepared by

Chemist
Central Equipment Division (CED)
Employee Code: METS AB EC 157

Approved by

Laboratory Supervisor
Employee Code: METS AB EC 127

The above test results are only applicable to the sample (s) referred above. This report shall not be reproduced except in full, without the written approval of METS laboratory. For further clarification of reports, please contact adqc@metslab.com.

-End of Report-

Form MARF 09 Issue No: 2

ABU DHABI (UAE) +971 55 474 7210 | AJMAN (UAE) +971 58 950 5070 | DUBAI (UAE) +971 55 474 7210 | DOHA (QATAR) +974 77825070 | DUDLEY (UK) +44 7526 505070 | GURUGRAM (INDIA) +91 88005 05077 | SHANGHAI (CHINA) +137 61027170
E : info@metslab.com
W : www.metslab.ae